



## VIZM.EX3461 Fittings, Rubber Gasketed

Page Bottom

### Fittings, Rubber Gasketed

[See General Information for Fittings, Rubber Gasketed](#)

**WARD MFG INC**

115 GULICK ST  
PO BOX 9  
BLOSSBURG, PA 16912 USA

EX3461

Side outlet

Model	Outlet Type	Pipe	Size (in.)	Rated Pressure (psig)
Tee-Lox	Threaded	10, 40, BLT, DF, DT, HF, SF, SL, XL	1-1/4x1/2, 3/4, 1; 1-1/2x1/2, 3/4, 1; 2x1/2, 3/4, 1; 2-1/2x1/2, 3/4, 1	175

Configuration fitting

Model	Fitting Type	Pipe	Size (in.)	Rated Pressure (psig)
Wardlox	Coupling	10, 40, BLT, DF, DT, SF, XL	1	175
Wardlox	Coupling	10, 40, BLT, DF, DT, SF, XL, EF	1-1/4	175
Wardlox	Coupling	10, 40, EF	1-1/2, 2	175
Wardlox	Tee w/ NPT Outlet	10, 40, BLT, DF, DT, HF, SF, XL	1x1x1/2, 3/4 or 1;	175
Wardlox	Tee w/ NPT Outlet	10, 40, BLT, DF, DT, HF, SF, XL, EF	1-1/4x1-1/4x1/2, 3/4 or 1;	175
Wardlox	Tee w/ NPT Outlet	10, 40, EF	1-1/2x1-1/2x1/2, 3/4 or 1; 2x2x1/2, 3/4 or 1;	175
Wardlox	Tee	10, 40, BLT, DF, DT, HF, SF, XL, EF	1-1/4x1-1/4x1-1/4;	175
Wardlox	Tee	10, 40, EF	1-1/2x1-1/2x1-1/2, 2; 2x2x1, 1-1/4, 1-1/2, 2;	175
Wardlox	Reducing Tee w/ NPT Outlet	10, 40, BLT, DF, DT, HF, SF, XL, EF	1-1/4x1x1/2, 3/4 or 1;	175
Wardlox	Reducing Tee w/ NPT Outlet	10, 40, EF	1-1/2x1-1/4x1/2, 3/4, 1; 2x1-1/2x1/2, 3/4, 1;	175
Wardlox	90 Elboww/ NPT Outlet	10, 40, BLT, DF, DT, SF, XL	1x1/2, 3/4, or 1;	175
Wardlox	90 Elbow w/ NPT Outlet	10, 40, BLT, DF, DT, SF, XL, EF	1-1/4x1/2, 3/4, or 1;	175
Wardlox	90 Elboww/ NPT Outlet	10, 40, EF	1-1/2x1/2, 3/4, or 1; 2x1/2, 3/4, or 1;	175
Wardlox	90 Elbow	10, 40, BLT, DF, DT, SF, XL	1	175

Wardlox	90 Elbow	10, 40, BLT, DF, DT, SF, XL, EF	1-1/4	175
Wardlox	90 Elbow	10, 40, EF	1-1/2, 2	175

Outlet sizes 1/2 and 3/4 in. are for direct connection to sprinklers only. Outlet size 1 in. is for branch line connections only.

The model Tee-Lox fittings shall be used for hydraulically calculated systems only.

The couplings are suitable for use in dry pipe systems for temperatures to -40 F.

The pipe is to be grooved in accordance with the manufacturer's installation instructions.

The couplings may be expected to form joints which do not need restraint.

DT refers to Allied Tube & Conduit Listed Dyna Thread steel sprinkler pipe.

HF refers to Hi-Flow Listed steel sprinkler pipe manufactured by Western Tube and Conduit Co.

SF and XL refers to Allied Tube & Conduit Listed steel sprinkler pipe.

DF refers to Allied Tube & Conduit Listed Dyna-Flow steel sprinkler pipe.

BLT refers to Allied Tube & Conduit Inc. Listed steel sprinkler pipe.

SL refers to Western Tube & Conduit Corp. Listed steel sprinkler pipe.

EF refers to Bull Moose Tube Co. Listed steel sprinkler pipe.

The Wardlox and Tee-Lox fittings with rubber gaskets are suitable for use in dry pipe systems to temperatures of -40 F.

These couplings and fittings may be expected to form joints which do not need restraint.

Trademark and/or Tradename: "Wardlox", "Tee-Lox", "JPW", "J. P. Ward"

Last Updated on 2006-10-09

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright © 2008 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2008 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

